

Progress on the Development of a Direct Evaporation Bismuth Hall Thruster

Dean R. Massey*, Lyon B. King†
Michigan Technological University, Houghton, MI 49931

Jason M. Makela‡
Michigan Technological University, Houghton, MI 49931

It has been demonstrated that using segmented anodes for thermal regulation of anodes is possible by controlling where the discharge current attaches to. Thrust, Isp and efficiency measurements were taken on a segmented Hall thruster in order to ascertain what effect moving the discharge current attachment has on thruster performance. Overall, very little change in thrust, specific impulse and efficiency were measured across the operating spectrum when running on xenon. Thermal measurements were also taken but it was found that anode power density needed to be substantially increased to achieve the temperatures necessary for operation on bismuth. The anode face area was subsequently reduced and using a unique dual-propellant distributor, this work reports on experiments to use a xenon discharge as a “jump start” mechanism to provide waste heat necessary to initiate direct bismuth evaporation. Using the shim electrodes and magnetic fields for temperature control, the thruster is operated entirely on bismuth after a xenon warm-up stage.

1. Introduction

Bismuth has many attributes that make it well suited for development as a propellant. When compared to more traditional propellants such as xenon, bismuth holds significant advantages both from an energetics¹ and cost standpoint. There are significant ground-test facility cost savings as bismuth doesn't require the use of expensive cryogenic pumps. Since bismuth is a solid at room temperature, any exhausted bismuth will hit the tank wall and solidify, turning the entire vacuum chamber into an effective pumping surface. With that in mind, operating a 50kW bismuth hall thruster would require only enough pumping speed to keep up with the cathode mass flow (assuming a xenon cathode). Although immature as a Hall thruster propellant, the use of bismuth is not without precedent. Soviet work performed in the 1980's and only recently reported in the open literature evaluated bismuth anode layer thrusters. TsNIIMASH researchers reported thrusters with power up to 140 kW and specific impulse as high as 8,000 seconds operating with anode efficiencies exceeding 70%. Papers reporting on this early work give few details on bismuth flow control method or apparatus.

While physically superior in the discharge chamber, the obvious engineering challenge associated with bismuth is how to produce and deliver a metered flow of vapor to the thruster in an energy efficient method. Early Soviet work was based on handling bismuth in gas phase throughout the thruster^{2,3}. Besides the material difficulties associated with high-temperature propellant isolators, valves, and flow control devices, such a system is energetically unfavorable. Any power that is used to drive the evaporation heater and to maintain the temperature of the transfer plumbing is non-propulsive and reduces the overall system efficiency of the thruster.

* PhD Candidate, Mechanical Engineering, 1018 R.L. Smith Building, 1400 Townsend Drive

† Assistant Professor, Mechanical Engineering, 1018 R.L. Smith Building, 1400 Townsend Drive

‡ PhD Candidate, Mechanical Engineering, 1018 R.L. Smith Building, 1400 Townsend Drive

Copyright ©2005 by Dean R. Massey. Published by the American Institute of Aeronautics and Astronautics Inc. with permission.

2. Description of Concept

In the method proposed here, bismuth is supplied to an anode/reservoir within the thruster discharge chamber in solid or liquid form. Naturally occurring thruster waste heat is used to drive direct evaporation from the anode/reservoir into the discharge chamber. The evaporation rate is controlled through the reservoir temperature and the permeated vapor escape area.

Since it is not feasible to mechanically vary the vapor escape area through the reservoir, the mass flow rate, will be controlled by varying the reservoir temperature within the thruster. The evaporation rate, then, is governed by the equilibrium vapor pressure of the liquid metal and the goal is to maintain the proper reservoir temperature that, when combined with the vapor escape area, yields the correct value of mass flow (see Ref. 4 for a more detailed derivation).

Obviously, designing a thruster that dissipates exactly the right amount of power into the anode represents an unfeasible open-loop control system. The concept reported here uses a segmented-anode design to achieve closed-loop control of the bismuth reservoir temperature. Our design utilizes three separate anodes: the traditional main anode and two inert “shim” anodes - one inner and one outer - electrically and thermally isolated from the main anode. Figure 1 shows a cross section of the Isp Lab development thruster. The main anode serves dual use as a propellant diffuser and accelerating electrode very similar to traditional gas fed Hall thrusters. However, in this design the hollow main anode serves as a reservoir of liquid bismuth. Electron current from the discharge plasma heats this anode/reservoir at a rate of approximately 10% of the total thruster power, driving the direct evaporation of propellant into the chamber.




Figure 1 - Cross section of the segmented anode hall thruster showing the three anodes and naming conventions. Discharge power can be shared between any combination of anodes by inducing voltage differences.

Main anode temperature is controlled by sharing the plasma discharge current with a set of electrically isolated shim anodes on the inner and outer wall. The shim anodes are inert and are not bismuth vapor sources. By varying the shim voltage with respect to the main anode, the plasma current and, hence, heating can be shared between the shims and main, thus controlling the main anode temperature and the evaporation rate. The mass flow rate is then bounded above by the equilibrium main anode temperature that obtains when 100% of the discharge current is attached to the main, and bounded below by the temperature achieved when 100% of the current is attached to the shims.

While past work showed that it was possible to directly control the temperature of the main anode by using segmented electrodes to share the discharge current⁴ and plume divergence was largely unaffected⁵, researchers did not quantify the effect of current sharing on thruster performance. The goal of this study was to ascertain what if any effects using a segmented anode configuration for thermal control had on overall thruster performance. The first section of the paper reports the performance characteristics of the segmented anode Hall thruster running only on xenon and what changes needed to be made to ensure success when running on bismuth. The second section delves into the operation of the thruster on both xenon and bismuth concluding with some preliminary bismuth-only operation.

3. Xenon Performance

Using segmented anodes for thermal control has proven to be very effective. In this section we look beyond just thermal characteristics and cast an eye at how attaching current to different anodes effects thrust, specific impulse and anode efficiency. Higher power thermal measurements are also presented.

3.1. Description of Apparatus

The Hall thruster employed by the Isp Lab for preliminary segmented anode tests uses the magnetic circuit from an Aerojet BPT-2000, which has been retrofitted with segmented anodes, the necessary power connections, and instrumented for temperature measurements. As shown in Figure 1, adjustment of the current sharing properties of the anodes is accomplished by varying the voltage on either the shim anodes or the main anode. Electrical connections to the shim anodes were made through the use of high temperature wire welded directly to the anode and passed through the boron-nitride thruster body. Thermocouples were connected similarly.

Thrust measurements were taken using a NASA-Glenn-style inverted pendulum thrust stand and recorded via a computer controlled data acquisition system. Thrust measurements have an estimated experimental uncertainty of +/- 5%. Thermal measurements of the thruster were taken using K-type thermocouples that were directly welded to the shim anodes and press fit against the back face of the main anode. However, since all thermocouples were at anode potential, temperatures were taken manually through the use of electrically isolated thermocouple monitors at approximately one-minute intervals. The thermocouple monitors have an uncertainty of ±1 percent. Voltage and current measurements were taken by a computer controlled data acquisition system which polled the power supplies at approximately one second intervals.

All xenon tests were performed in the Isp Lab's Xenon Test Facility on the campus of Michigan Technological University. The facility is comprised of a 2-m-diameter by 4-m-long vacuum tank. Rough pumping is accomplished by a two-stage rotary oil-sealed vacuum pump with a Roots blower, capable of pumping at 400 cubic-feet-per-minute. High vacuum is achieved through two 48-inch-diameter cryopumps, capable of pumping 120,000 liters-per-second on nitrogen. The background pressure was maintained below 2.6×10^{-5} Torr (corrected for xenon) during all tests. A xenon-fed LaB₆ cathode was used to sustain plasma discharge.




Figure 2 – Results from a typical operating point. Main anode voltage is $V_{main} = 400$ volts and flow is 6mg/sec of xenon. Experimental error for efficiency and I_{sp} is +/- 5%.

3.2. Results

Performance measurements were taken at anode voltages of 300 and 400 volts and at xenon mass flows of 4, 5, 6 mg/sec to ascertain performance trends. At each operating point, the magnetic field was adjusted to minimize the total discharge current when the shim and main anode voltages were equal. When the shim and main anodes were at the same potential, the majority of current would attach to the shims. This value of magnet current was then sustained as discharge current was shifted from the shim anode to the main anode. The shift in current was obtained by leaving the main anode potential fixed and lowering the shim anode potential. In all cases, the shims never needed to be lowered more than 40 volts below the main anode for

complete main anode current attachment.

Figure 2 illustrates a typical case. In this figure, the main anode is held at 400 volts and the flow rate is 6mg/sec of xenon. The efficiency reported is anode efficiency. As can be seen I_{sp} and efficiency all decrease slightly as current is shifted from the shim anodes to the main anode while the total discharge current and power remains largely unchanged. The changes in I_{sp} and efficiency at all operating points examined is illustrated in Figure 3.




Figure 3 – Thruster performance results showing the variation in anode efficiency and specific impulse as the discharge current is shifted between main anode and shims. Experimental error for efficiency and I_{sp} is +/- 5%.

After completion of performance testing, the variation in anode/shim temperature as a function of current attachment was investigated. To establish the range over which the temperatures could be controlled, the thruster was allowed to come to thermal equilibrium with the current completely attached to each anode. Figure 4 shows how the thruster responds to both current shifting and mass flow increases with the main anode voltage fixed at 400 volts.




Figure 4 – Thruster thermal variation due to varying current attachment. Main anode voltage was held constant at 400 volts.

3.3. Discussion

Performance testing demonstrated that operating with segmented anodes does not significantly alter thruster performance. Shifting current attachment from shims to main anode neither affects stability nor requires significant modifications to the magnetic field. Varying the current attachment causes less than a 10 % change in shim voltage and 5 % change in specific impulse. During testing no effort was made to optimize the magnetic field as the current attachment point was moved for a fixed main anode voltage. It may be possible to recover the slight efficiency loss seen as the shim voltage was reduced by adjusting the magnetic field at each value of current sharing fraction

It is interesting to note that there is evidence that the ionization region is upstream of the shims. The required reduction in shim voltage and subsequent reduction in Isp is consistent with the ion velocity loss one would expect by lowering the accelerating voltage. At 400 volts and 6mg/sec of xenon flow with all the anodes at the same potential the specific impulse was 2,250 seconds corresponding to an effective accelerating voltage of 332 volts. When the shim voltage was lowered to 366 volts (to shift current to the main anode) the specific impulse decreased by 93 seconds to 2,157 seconds corresponding to an effective accelerating voltage of 305 volts. So by reducing the shim voltage by 34 volts the effective accelerating voltage was reduced by 27 volts which is well within the realm of experimental uncertainty.

In this application, the goal of using segmented anodes is to enable thermal control of the main anode for use in eventual bismuth evaporation. In each of the cases presented in Figure 4, a 50+ degree variation in temperature can be obtained in a matter of minutes for the main anode, and seconds for the shim anode. This temperature swing would cause a 63% change in the bismuth evaporation rate, providing a wide range of throttleability. Moreover, at the tested power levels the anodes are both thermally stable and well within the working temperature of the constituent materials. From these results, it is clear that using segmented anodes for thermal control is a valid approach.

Although thermal testing showed the ability to substantially vary the anode temperature, the maximum temperature achieved was well below that required for sufficient bismuth evaporation for self sustaining operation. It was previously determined that a reservoir temperature of 750°C was required⁴ but even running at 2.4kW the main anode temperature reached a maximum 597°C. To gain the additional 150 degrees, thruster power could be further increased at the expense of thruster lifetime. A better option was deemed to be a reduction in anode face area thereby increasing the power density as well as improved thermal insulation. During xenon testing a power density of 0.5 w/mm² achieved 597°C. Thermal modeling suggested that a power density of 1 w/mm² would be sufficient to achieve the goal of 750°C.

4. Preliminary Bismuth Operation

Xenon testing made it clear that using segmented anodes for thermal control is a very viable method as it works very well and doesn't negatively impact thruster performance. However, traditional xenon design rules called for an anode that has insufficient power density for use with bismuth. The anode face area needed to be reduced by half.

4.1. Description of Apparatus

A unique dual-propellant anode was designed for bismuth development and testing. The anode was designed to accommodate gaseous xenon and bismuth simultaneously. The ability run on xenon allows the thruster to achieve the high temperatures required for bismuth evaporation without the need for resistive heating. Figure 5 is an illustration of the anode cross section. Xenon is fed into the lower chamber where it




Figure 5 – The combination xenon-bismuth anode

then flows out the gas diffuser holes. Bismuth is contained in a separate chamber and is delivered to the anode via a hydrostatic reservoir external to the thruster. The bismuth vapors leave through a gas diffusing plate on the top of the anode which prevents liquid intrusion into the discharge chamber. The anode face area was reduced from that used in xenon testing (see Figure 4) in order to achieve the required 750°C for bismuth evaporation. A thermocouple was also welded to the back of the anode to obtain a temperature estimate of the bismuth reservoir. A xenon fed LaB₆ cathode was used to sustain the discharge.

Bismuth tests were performed in the Isp Lab's one-of-a-kind Condensable Propellant Facility on the campus of Michigan Technological University. The facility is comprised of a 2-m-diameter by 4-m-long vacuum tank. Rough pumping is accomplished by a two-stage rotary oil-sealed vacuum pump with a Roots blower, capable of pumping at 400 cubic-feet-per-minute. High vacuum is achieved using three 28,000-RPM magnetically levitated turbo-molecular pumps capable of pumping 2,000 l/sec each providing a robust, oil free vacuum. Anode and cathode xenon flow into the tank was controlled via 100 and 20 SCCM MKS mass flow controllers respectively.

4.2. Results

In order to induce direct bismuth evaporation, the thruster was "jump-started" on xenon. The thruster was operated on 40 SCCM of xenon at 400 volts and 4.42 amps.

As the bismuth reservoir heated up, the discharge current began to slowly climb indicating bismuth evaporation. The current was allowed to rise until reaching about 8 amps. By this time, current was increasing at a rate of approximately 1-2 amps per minute so xenon mass flow was reduced to keep the current in an 8 to 10 amp window. Eventually all the xenon gas flow was removed and the power supplies were reconfigured to run in constant current mode. If the discharge current began to drop (indicating evaporation was slowing), the supply automatically increased voltage to maintain the current. The increased voltage subsequently increased the power deposition to the main anode, which in turn increased the bismuth evaporation rate. The bismuth thruster ran for approximately 45 minutes in a completely self-sustaining mode before being voluntarily extinguished. When the thruster was running at 4kW and 12 amps on bismuth (no xenon except cathode flow), the facility pressure was 8.5×10^{-6} Torr. The thermocouple was reading a reservoir temperature of 756°C. Figure 6 is a photo during bismuth only operation,




Figure 6 – A 4kW Hall thruster running on bismuth.

4.3. Discussion

"Jump-starting" the thruster on xenon is a very effective way of initiating bismuth mass flow. Although the direct evaporation scheme is inherently unstable (high power induces high evaporation which induces even higher power), the slow instability time renders manual control possible. Figure 7 is a plot of a manually controlled transition from xenon to bismuth. In future work the shim-controlled evaporation will be brought under closed-loop computer control.




Figure 7 – Current, power and xenon flow during a transition. Voltage was initially held at 400 volts until xenon flow was removed and the discharge was held at a constant current.

While these early results are encouraging, no attempt was made to quantify the thrust or the bismuth mass flow rate. Future plans include the use of a vertical standing liquid bismuth supply reservoir resembling a graduated cylinder. For instance at 10 mg/sec, the bismuth liquid level in the reservoir would drop by 0.5mm per minute producing what may be a fairly accurate post-test means of determining bismuth flow rate over a multi-hour test. Alternative techniques may include pre- and post-test weighing of the thruster or bismuth supply system.

During thruster development it became clear that anode power density is a critical factor in bismuth thruster design. Xenon and bismuth testing indicated that a power density of 1 watt/mm² (based on total thruster power and anode face area) will initiate the bismuth transition, but self-sustaining operation requires a minimum of 1.5 watts/mm².

5. Conclusions

Operating a xenon thruster with segmented anodes has very little impact on how it operates. The minor changes in specific impulse can be traced back to the ionization happening upstream of the shim anodes. No attempt was made to minimize discharge current while shifting from shims to the main anode so slight decrease in efficiency could possibly be recovered by magnetic field tuning. Using the shim anodes for thermal control worked well to obtain temperature variations, but using a traditional 0.5watt/mm² xenon anode the maximum temperature obtained was 150°C below what was required for bismuth operation. A power density of 1.5 watts/mm² or greater is necessary to operate a self-sustaining bismuth Hall thruster so anode face area was substantially reduced.

Using xenon to “jump-start” the bismuth thruster is relatively easy and works very well. Although it requires significant operator interaction, the response time of the system is slow enough that it is not an unmanageable burden to operate manually. Detuning the magnetic field to increase waste heat by electron heating in the anode is also a very effective way to gain the necessary temperatures for bismuth evaporation. If efficient thruster operation is a concern during the bismuth transition, increasing discharge current via extra xenon flow also works as well.

Future work will focus on obtaining bismuth mass flow rates as well as measuring thrust so performance numbers can be calculated. ExB probe measurements will also be taken to get a grasp on how multiply charged ion populations change with respect to xenon and bismuth operation.

6. Acknowledgements

Support for this work from the U.S. Air Force of Scientific Research and the Michigan Space Grant Consortium is gratefully acknowledged. Thruster fabrication was supported by Aerojet and Encel LLC. Special thanks to Jesse Nordeng, Pete (Buster) Antilla and Rob Rowe for providing excellent machining support, to Quin Shuck and Brian Beal for fielding technical questions and to Eric Merrill for taking some stunning pictures. And of course to those in the Isp lab for lending a hand when my two weren't enough.

¹ Kieckhafer, A.W., King, L.B., "Bismuth as an EP Propellant: Practical Issues and Physical Properties," AIAA-2005-4228, 41st Joint Propulsion Conference, Tucson, AZ.

² Tverdokhlebov, O.S., Semenkin, A., and Polk, J., "Bismuth propellant option for very high power TAL thruster," AIAA-2002-0348, 40th Aerospace Sciences Meeting, Reno, NV.

³ Grishin, S.D., Erofeev, V.S., Zharinov, A.V., Naumkin, V.P., and Safronov, I.N., "Characteristics of a two-stage ion accelerator with an anode layer," Zhurnal Prikladnoi Mekhaniki i Tekhnicheskoi Fiziki, No. 2, pp. 28-36, March-April, 1978.

⁴ Massey, D.R., Kieckhafer, A.W., et. al., "Development of a Vaporizing Liquid Bismuth Anode for Hall Thrusters," AIAA-2004-3768, 40th Joint Propulsion Conference, Ft. Lauderdale, FL.

⁵ Kieckhafer, A.W., Massey, D.R., et. al., "Effect of Segmented Anodes On the Beam Profile of a Hall Thruster," AIAA-2004-4101, 40th Joint Propulsion Conference, Ft. Lauderdale, FL.